

LEVEL SWITCHES

<p style="text-align: center;">FLOAT</p>  <p style="text-align: center;">STAINLESS STEEL BALL INSIDE THE MAGNE</p> <p style="text-align: center;">MODEL NO : 01</p> <p style="text-align: center;">28 X 28 X 9.5 - AVL SS.316L TEMP : 150°C PRESSUER : 10 KG/CM2</p>	<p style="text-align: center;">FLOAT</p>  <p style="text-align: center;">MAGNETIC FLAP FLOAT</p> <p style="text-align: center;">MODEL NO : 02</p> <p style="text-align: center;">Φ36 * 98MM SS.304 TEMP : 150°C & 200 KG/CM2 SS.316 TEMP : 180°C & 200 KG/CM2</p>	<p style="text-align: center;">FLOAT</p>  <p style="text-align: center;">LATERAL LOADING FLOAT</p> <p style="text-align: center;">MODEL NO : 03</p> <p style="text-align: center;">SIZE 17 X 19.5 MM TEMP : 120°C PRESSUER : 15 KG/CM2</p>
<p style="text-align: center;">FLOAT</p>  <p style="text-align: center;">MODEL NO : 04</p> <p style="text-align: center;">STAINLESS STEEL BALL INSIDE THE MAGNET</p> <p style="text-align: center;">30 X 28 X 9.5 SS.316L TEMP : 150°C PRESSUER : 25 KG/CM2</p>	<p style="text-align: center;">FLOAT</p>  <p style="text-align: center;">MODEL NO : 05</p> <p style="text-align: center;">FLOAT - SS 316</p> <p style="text-align: center;">SIZE : 40 X 35 X 15.5MM TEMP : 150°C PRESSUER : 10 KG/CM2</p>	<p style="text-align: center;">FLOAT</p>  <p style="text-align: center;">MODEL NO : 06</p> <p style="text-align: center;">STAINLESS STEEL BALL INSIDE THE MAGNE</p> <p style="text-align: center;">28 X 28 X 9.5 - AVL SS.316L TEMP : 150°C PRESSUER : 10 KG/CM2</p>

FLOAT



**STAINLESS STEEL BALL
INSIDE THE MAGNET**

MODEL NO : 07

42 X 42 X 11.5mm

SS.316L

TEMP : 150°C

PRESSUER : 25 KG/CM2

FEIG. CO.



φ 24 × 24 × 9.5(mm)



φ 25 × 28 × 9.5(mm)



φ 28 × 28 × 9.5 (mm)



φ 38 × 26 × 9.5(mm)



φ 40 × 35 × 15(mm)



φ 41 × 51 × 15(mm)



φ 45 × 56 × 15(mm)



φ 51 × 61 × 15(mm)



φ 30 × 29 × 9.5(mm)



φ 52 × 52 × 15(mm)



φ 75 × 72 × 23(mm)



φ 125 × 125 × 23(mm)



φ 51 × 61 × 23(mm)




φ 17 × 55(mm)



φ 38mm



φ 45mm、φ 51mm



Dimension DXHXB	Material	Thickness	Sp. Gr. Weight ratio	Remark
Φ25X25X9.5	304/316L	-100 ~ 300	>0.8	
Φ25X28X9.5	304/316L	-100 ~ 300	>0.8	
Φ28X28X9.5	304/316L	-100 ~ 300	>0.8	
Φ29X32X9.5	304/316L	-100 ~ 300	>0.8	
Φ32X32X9.5	304/316L	-100 ~ 300	>0.8	
Φ34X34X9.5	304/316L	-100 ~ 300	>0.6	
Φ38X26X9.5	304/316L	-100 ~ 300	>0.6	
Φ40X35X15.5	304/316L	-100 ~ 300	>0.6	
Φ40X50X15.5	304/316L	-100 ~ 300	>0.6	
Φ42X50X15.5	304/316L	-100 ~ 300	>0.6	
Φ45X56X15.5	304/316L	-100 ~ 300	>0.6	
Φ45X56X15.5	304/316L	-100 ~ 300	>0.6	
Φ45X56X23	304/316L	-100 ~ 300	>0.6	
Φ48X50X15	304/316L	-100 ~ 300	>0.6	
Φ45X56X21	304/316L	-100 ~ 300	>0.6	
Φ52X52X15.5	304/316L	-100 ~ 300	>0.6	
Φ52X62X23	304/316L	-100 ~ 300	>0.6	
Φ52X62X15.5	304/316L	-100 ~ 300	>0.6	
Φ30X30X9.5	304/316L	-100 ~ 300	>0.6	
Φ42X42X11.5	304/316L	-100 ~ 300	>0.6	
Φ42X42X13.5	304/316L	-100 ~ 300	>0.6	
Φ52X52X15.5	304/316L	-100 ~ 300	>0.55	
Φ64X64X15.5	304/316L	-100 ~ 300	>0.55	
Φ75X75X15.5	304/316L	-100 ~ 300	>0.55	
Φ75X75X23	304/316L	-100 ~ 300	>0.55	
Φ75X75X27	304/316L	-100 ~ 300	>0.55	
Φ90X90X25	304/316L	-100 ~ 300	>0.5	
Φ90X90X29	304/316L	-100 ~ 300	>0.5	
Φ100X100X29	304/316L	-100 ~ 300	>0.5	
Φ125X125X23	304/316L	-100 ~ 300	>0.5	
Φ60X145X25	304/316L	-100 ~ 300	>0.5	
Φ75X120X21	304/316L	-100 ~ 300	>0.5	
Φ75X120X36	304/316L	-100 ~ 300	>0.5	
Φ75X136X27	304/316L	-100 ~ 300	>0.5	

Manufactured & Marketed By :
M/S. Bombay Instrument Mfg. Co.

SHOP NO. 5 , 50/86, JITEKAR WADI

OPP. VINAY HOTEL 88, THAKURDWAR ROAD MUMBAI – 400 002 - INDIA

Tel. : 91 (022) 2389 1073 / 2389 10 7 5

Fax : 91 (022) 2389 1075

Web. : www.bombayinstrument.in

Email : bimco@mtnl.net.in, bimcoindia@gmail.com , bimcoheenal@hotmail.com.

BOMBAY INSTRUMENT MFG. CO.®